

中国船级社

CHINA CLASSIFICATION SOCIETY

证书格式号/Form: T01.02-

YT000007

型式认可证书

CERTIFICATE OF TYPE APPROVAL

证书编号/Certificate No. NJ18T00056 01

兹证明本证书所述制造厂生产的下列产品能够满足下面列明认可标准的要求。

This is to certify that the following products produced by the manufacturer stated in the certificate can meet the requirements of the approval standards listed below.

认可产品/ Product Approved

船用救生衣

Marine lifejacket

制造厂/Manufacturer

江苏华燕船舶装备有限公司

Jiangsu HuaYan Marine Equipment Co., Ltd.

丹阳市开发区黄金塘西路8号

No.8, Golden Pond West Road, Danyang Economic Development Zone, Jiangsu

附加标志/ Notations

无/Nil.

认可标准/Approval Standard

1.1974年国际海上人命安全公约及修正案第Ⅲ章,第4、7、22和34条

Regulation 4,7,22 and 34, Chapter III of International Convention for the Safety of Life at Sea, 1974, as Amended.

2.经MSC.207(81)、MSC.218(82)和MSC.368(93)修正的MSC.48(66)《国际救生设备规则》第1、II章

Chapter I and II of MSC.48(66) International Life-saving Appliance Code, as amended by MSC.207(81), MSC.218(82) and MSC.368(93).

3.经MSC.200(80)、MSC.226(82)、MSC.323(89)和MSC.378(93)修正的MSC.81(70)《经修正的救生设备试验建议》 第1部分和第2部分

Part 1 and Part 2 of MSC.81(70) Revised Recommendation on Testing of Life-saving Appliance, as amended by MSC.200(80),MSC.226(82),MSC.323(89) and MSC.378(93).

证书有效期至/ This Certificate is valid until

2022年6月29日 Jun. 29, 2022

发证机构

中国船级社江苏分社

Issued by

CCS Jiangsu Branch

2668年7月27日

本证书根据中国船级社《粮质海船入级规范》及有关程序规定签发。关于证书的有关规定见本证书页背面的说明。当本证书包括<mark>处页处据的AT40分</mark>有证书页为体,必须同时使用。每一页证书均须由本社盖章方为有效。证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。本认可证书不代表本社对。

品质量的检验。有关各方对所持证书的真实性有疑问时,可以问我社检验机构咨询。
This Certificate is issued pursuant to the Rules for Classification of Sea-going Steel Ships and related procedures of the Society. Refer to the back of the certificate for detailed requirements of the certificate. When the certificate consists of more than one page, all pages of the certificate are taken as a whole and are used simultaneously. No certificate page is valid without bearing the stamp of the Society and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. This approval certificate does not constitute the inspection of the Society about the quality of the unit/batch product. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices





17664454

中国船级社总部/CCS headquarters: 北京市东直门南大街9号船检大厦

CCS Mansion, 9 Dongzhimen Nan Da Jie, Beijing 100007, China

邮编: 100007 电话/Tel: +86(10)58112288 传真/Fax: +86(10)58112811

本地检验机构/CCS Local Office:

中国船级社江苏分社

CCS Jiangsu Branch

网址/Web Site: http://www.ccs.org.cn 电话/Tel: 0086-25-66668899 传真/Fax: 0086-25-58757734

产品明细/ Product Description

船用救生衣/Marine lifejacket 型式/Type

: 详见附页/See the attached page

批准的图纸和设计计算书/ Approved Drawings and Design Calculations

详见附页/SEE THE ATTACHED PAGE 图纸批准号/ Drawings Approval No.

产品认可试验报告/Approval Test Report

试验报告编号/Test Report No. 试验报告日期/Test Report Date 见附页/See the attached page

试验单位/Laboratory

武汉船舶救生设备质量检验测试中心

Wuhan Quality Test Center for Marine Survival

Equipment

试验单位地址/ Test Address

湖北省武汉市桥口区六角亭新路128号

128 Liujiaoting Xinlu, Qiaokou District Wuhan, Hubei

产品适用范围/Application of the Product

船舶与海上设施/Ships and Offshore Installations

认可保持条件/ Maintenance Requirements of Approval

1.型式认可后,如果产品及其重要零部件的设计、所用材料或制造方法有所改变,且影响到产品的主要特性、特征;或产品的性能指标有所更改,且超过认可的范围,则有关图纸和文件应经检验机构审批。并在检验机构认为必要时,经本社检验人员见证有关试验和进行检查,其结果应能证实仍符合认可条件。

After type approval, if there are changes to the design, materials used or manufacturing method of the product and important components and such changes affect major characteristics and properties of the product, or property indexes of the product are changed and exceed the scope of approval, related drawings and documents are to be examined and approved by the concerned survey office. Where deemed necessary by the survey office, the surveyor to the Society will go to witness relevant tests and conduct inspection and the results should be able to demonstrate compliance with the approval

conditions. 2. 工厂的质量管理体系应保持有效运行,并且与认可时一致。如果质量管理体系发生改变,应经原体系认证机构审核 并报本社批准。

The quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.

3. 认可证书有效期内, 如果出现可能导致本社取消认可的情况, 工厂应及时采取有效的纠正措施。 Within the validity of the approval certificate, if cases occur that may cause the Society to withdraw the approval, the manufacturer should take corrective actions in a prompt and effective

manner. 4. 在认可证书有效期内,本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核,以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。
Within the validity of the approval certificate, the surveyor to the Society may pay unannounced

audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active

cooperation and necessary for the surveyor. 5. 如果属于获得型式认可B 模式证书,且无需颁发船用产品证书/等效证明文件的情况,证书获得者应接受本社每年一次的定期审核,定期审核日为认可证书期满之日对应的每一周年日,检查工作可在周年日的前后三个月内进行。 If belong to the situation of the product has type approval mode B certificate, and marine product certificate/equivalent document is not necessary, those who have obtained the certificate should be subject to periodical audit every year. The periodical audit should be carried out within 3 months before and after the anniversary date which corresponds to the date of expiry of the relevant.

认可后的产品检验方式/ Method of Product Inspection after Approval

按照规范每批抽样检验的产品/The product inspected by sampling in term of the rules: 认可后的产品检验应由本社验船师根据本社规范规定每批抽样按批准的产品检验计划进行检验,经检验合格后由本社颁发船用产品证书。

product inspection should be carried out by sampling by the Surveyor of the Society After approval, in accordance with the approved product inspection scheme, and the Marine Product Certificate will be issued by the Society upon satisfactory inspection.

对于原材料和零部件的检验要求/ Inspection Requirements for Materials and Components

产品如下原材料和零部件应由本社认可的制造厂生产/The following materials and components of the product should be manufactured by the factory approved by the Society: 反光材料/Retro-reflective materials



产品如下原材料和零部件应经本社检验/The following materials and components of the product should be inspected by the Society: 救生衣灯/Lifejacket lamp

产品如下原材料和零部件的制造厂清单,经本社批准方可变更/The list of manufacturer for the following materials and components of the product should not be changed without the Society's approval: 浮力材料/Buoyancy,面料/Cover,搭扣/Closures,缝线/Seams,带子/Tapes.

责任声明/Statement of Responsibility

本社的认可不影响、替代与本社授权或检验无关的各方对上述工厂的认可和发证,并且不对与本社授权或检验无关的各方负责,不承担其未经应允而承认、接受本社认可所导致的法律和经济责任。

The approval of the Society does not affect and replace any approval and certification of the manufacturer by any parties that bear no relation with this Society's authorization or survey and therefore takes no responsibility for these parties. The Society does not undertake any legal and economic liabilities arising from accepting this Society's certificate without prior permission from this Society.

其他/Others

本证书由原型式认可证书(No.NJ14T00058_01)换新并替代原证书。 This certificate is renewed from and supersedes the previous Type Approval Certificate No.NJ14T00058_01.

本社已审核了产品厂无石棉声明,但本社的审核不免除产品厂按照合同关系向订货方保证产品无石棉的责任。 The declaration of asbestos-free submitted by manufacturer has been reviewed by the Society. However, liability of the manufacturer to guarantee the products are asbestos-free to purchaser under contract will not be exempted.

中国船级社江苏分社

CCS Jiangsu Branch

*****本证书正文完/ End of Text*****

注: 本证书含有附页, 共2页

Note: The certificate is attached with 2 additional page(s)





产品明细 Product Description

产品明细 Product Description	组 cription	船用救生农(成人) Marine Lifejacket (Adult)	成人) et (Adult)	船用救生衣(儿童) Marine Lifejacket (children)	船用救生衣(婴儿) Marine Lifejacket (Infant)
规格型号 Type	Type	HYJ-A2	HYJ-A3	HYJ-CI	HYJ-I
浑力材料 Buoyant Material	ant Material	EPE	ЕРЕ	EPE	EPE
译力 Buoyancy	yancy	≥15kg (147N)	≥15.3kg (150N)	≥9.5kg (93.1N)	≥5.5kg (54N)
24h 后浮力损失 Buoyancy Lost after 24hs	24h 后浮力损失 cy Lost after 24hs	%9>	~55%	%9S	%9⋝
适用范围	体重 (kg) Weight (kg)	43 或以上 43 or more	71 5 1	15 或以上但小于 43 15 or more but less than 43	小于 15 Less than 15
Application	身高 (cm) Height (cm)	155 或以上 155 or more	E ore	100 或以上但小于 155 100 or more but less than 155	小于 100 Less than 100
图纸批准号: Drawing Approval No.	号: roval No.	NP12A00062	NJ08A00821	NP12A00062	NP13A00995
试验报告编号 Test Report No.	st Report No.	2008002; 2012082; 2012084-2012088	2008003; 2012084-2012088	2012083; 2012084-2012088	2014025; 2015102; 2012084-2012087
试验单位 Laboratory	ıboratory			武汉船舶救生设备质量检验测试中心 Wuhan Quality Test Center for Marine Survival Equipment	
试验单位地址 Test Address	Fest Address		Math and a No. 128, Liujiaotin	湖北省武汉市桥口区六角亭新路 128 号 No. 128, Liujiaoting Xinlu, Qiaokou District Wuhan, Hubei	





产品明细 Product Description

			Frounci Description		
型号	型号 Type	HYJ-A5Y	HYJ-A5O	HYJ-C2Y	HYJ-C20
浮力材料 Bu	浮力材料 Buoyant Material	EPE	EPE	EPE	EPE
	颜色 Color	黄色 Yellow	橙色 Orange	黄色 Yellow	橙色 Orange
型型	型式Type	套头单面式 Front wear, yoke type	套头单面式 Front wear, yoke type	套头单面式 Front wear, yoke type	套头单面式 Front wear, yoke type
图纸护 Drawing。	图纸批准号: Drawing Approval No.	NP17A02691	NP17A02691	NP17A02691	NP17A02691
		成人 Adult	成人 Adult	儿童 Child	儿童 Child
适用范围	体重(kg) Weight	43 或以上 43 or more		15 或以上但小于 43 15 or more but less tha	15 或以上但小于 43 15 or more but less than 43
Application	身高(cm) Height	155 或以上 155 or more	. ω	100 或以上但小于 155 100 or more but less than 155	胆小于 155 t less than 155
		适合体重高达 140kg、 Fit persons weighing up to 140kg	适合体重高达 140kg、胸围达 1750mm 的人员穿着 Fit persons weighing up to 140kg and with a chest girth of up to 1750mm.		
於 Buc	摔力 Buoyancy		150N±5%	%9∓N001	∓5%
24h 后浮力损失 Buoyancy Lost aft	24h 后浮力损失 Buoyancy Lost after 24hs		%9⋝	%9>	%
试验报告 Test Report		2017150; 20171	2017151; / 2017154-2017159 2017.11	2017152; 2017153; /2017154-2017159 2017.11	/2017154-2017159 7.11
试验单位	试验单位 Laboratory	(XX)	武汉船舶救生设备质量检验测试中心 Wuhan Quality Test Center for Marine Survival Equipment	测试中心 Survival Equipment	
试验单位地加	试验单位地址 Test Address	回力 CO C/480IFI	湖北省武汉市桥口区六角亭新路 128 号 No. 128, Liujiaoting Xinlu, Qiaokou District Wuhan, Hubei	路 128 号 trict Wuhan, Hubei	
	CAT	店のし			





2/2

